



Scott Specialty Gases

1333-74-0/

SCOTT_SPECIALTY_GASES_____

MATERIAL SAFETY DATA SHEETS

DATE: 12/15/00

SUPPLIER ADDRESS: 1290 COMBERMERE STREET

TROY, MI 48083
 EMERGENCY PHONE: (248) 589-2950
 NUMBER

1. CHEMICAL PRODUCT

PRODUCT NAME: HYDROGEN

SYNONYMS: None

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient Name	Formula	CAS#	Concentration	Exposure Limits (PPM)		
				ACGIH TLV	OSHA PEL	MAC
HYDROGEN	H2	1333-74-0	99+%	S/A	S/A	S/A

Note: S/A = SIMPLE ASPHYXIANT

3. HAZARD IDENTIFICATION

*** EMERGENCY OVERVIEW ***

Flammable high pressure gas.
 Can form explosive mixtures with air.
 May ignite if valve is open to air.
 Burns with an invisible flame.

POTENTIAL HEALTH EFFECTS

ROUTES OF ENTRY: Inhalation

ACUTE EFFECTS: Material acts as a simple asphyxiant by displacing air necessary for life. Symptoms include rapid respiration, muscular incoordination, fatigue, dizziness, nausea, vomiting, unconsciousness, and death.

CHRONIC EFFECTS: None known

MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: None known

OTHER EFFECTS OF OVEREXPOSURE: None

CARCINOGENICITY (US Only):

NTP - No

IARC MONOGRAPHS - No

OSHA REGULATED - No

Continu

1333-74-0/

4. FIRST AID MEASURES

INHALATION: Immediately remove victim to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen.

EYE CONTACT: None

SKIN CONTACT: None

INGESTION: None

IN EVENT OF EXPOSURE, CONSULT A PHYSICIAN

NOTE TO PHYSICIAN: None

5. FIRE FIGHTING MEASURES

FLASH POINT: Gas

AUTOIGNITION TEMPERATURE: 400 deg.C

FLAMMABLE LIMITS:

LOWER: 4%

UPPER: 75%

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, or halogenated gas.

SPECIAL FIRE FIGHTING INSTRUCTION AND EQUIPMENT: Wear self-contained breathing apparatus and full protective clothing. Do not extinguish a gas fire unless immediate shut-off of gas flow is possible. Explosive vapor could form. Keep fire exposed cylinders cool with water spray.

HAZARDOUS COMBUSTION PRODUCTS: None

UNUSUAL FIRE AND EXPLOSION HAZARDS: Cylinder rupture may occur under fire conditions. Severe when exposed to heat or flame. Contact with strong oxidizers

6. ACCIDENTAL RELEASE MEASURES

CLEAN UP PROCEDURES: Evacuate and ventilate area. Shut off source if possible and remove source of heat. Remove leaking cylinder to exhaust or safe outdoor area. Allow gas to dissipate.

SPECIALIZED EQUIPMENT: None

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING: Secure cylinder when using to protect from falling. Use suitable hand truck to move cylinders. No part of cylinder should be exposed to temperatures above 52 degrees celsius. Return to supply with positive pressure.

PRECAUTIONS TO BE TAKEN IN STORAGE: Store in well ventilated areas. Keep valve protection cap on cylinders when not in use. Quantities greater than standard cubic feet should be stored in specially ventilated rooms or outdoors. Store away from oxidizers, combustible materials, and source of ignition heat. Ventilation equipment should be explosion proof.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide adequate general and local exhaust ventilation to maintain concentrations below flammable limits and to avoid asphyxiation.

PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses

SKIN PROTECTION: None

may cause a fire or explosion. Pure hydrogen burns with a pale, blue, nearly invisible flame. Vapors may travel a considerable distance to the source of ignition and flash back.

RESPIRATORY PROTECTION: In case of leakage, use self-contained breath apparatus.

OTHER PROTECTIVE EQUIPMENT: Safety when handling cylinders.

Continu

1333-74-07

9. PHYSICAL AND CHEMICAL
PROPERTIES

APPEARANCE: Colorless
ODOR: Odorless
PHYSICAL STATE: Gas
VAPOR PRESSURE: Gas
VAPOR DENSITY (AIR=1): 0.07
BOILING POINT (C): -252
SOLUBILITY IN WATER: @20 deg.C: 1.82%
SPECIFIC GRAVITY (H2O=1): Gas
EVAPORATION RATE: Gas
ODOR THRESHOLD: N/Ap

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal storage conditions.

CONDITIONS TO AVOID: Storage in poorly ventilated areas. Storage near a heat source.

MATERIALS TO AVOID: Oxidizing agents: hydrogen can react with some metals (i.e. hardened steel) to cause embrittlement, alkaline materials, halogens.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION: None

11. TOXICOLOGICAL INFORMATION

LETHAL CONCENTRATION (LC50): NONE ESTABLISHED
LETHAL DOSE 50 (LD50): N/Ap
TERATOGENICITY: N/Ap
REPRODUCTIVE EFFECTS: N/Ap
MUTAGENICITY: N/Ap

outlet plugs or caps secured and protection cap in place.

14. TRANSPORT INFORMATION

CONCENTRATION: 99+%
DOT DESCRIPTION (US ONLY):
PROPER SHIPPING NAME: Hydrogen, compressed
HAZARD CLASS: 2.1 (flammable)
IDENTIFICATION NUMBER: UN1049
REPORTABLE QUANTITIES: None
LABELING: FLAMMABLE GAS

ADR/RID (EU Only): Class 2,1f

SPECIAL PRECAUTIONS: Cylinders should be transported in a secure upright position in a well ventilated truck.

15. REGULATORY INFORMATION

OSHA: Process Safety Management: Material is not listed in appendix 29 CFR 1910.119 as highly hazardous chemical.

TSCA: Material is listed in TSCA inventory.

SARA: The threshold planning quantity for material is 10,000 lbs.

EU NUMBER: 215-605-7

NUMBER IN ANNEX 1 OF DIR 67/548: Material is listed in annex 1.

EU CLASSIFICATION: N/Av

R: 12

S: 9-16-33

12. ECOLOGICAL INFORMATION

No adverse ecological effects are expected.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Non-returnable cylinders must not be refilled. Dispose of non-refillable cylinders in accordance with federal, state, and local regulations. Allow gas to discharge at a moderate rate. Return cylinders to supplier with any valve

16. OTHER INFORMATION

OTHER PRECAUTIONS: Protect containr from physical damage. Do not defac cylinders or labels. Cylinders shc refilled by qualified producers of compressed gas. Shipment of a comp gas cylinder which has not been fi by the owner or with his written c is a violation of federal law (49

ABBREVIATIONS:

N/Ap - Not Applicable

N/Av - Not Available

Continu

1333-74-0/

SA - Simple Asphyxiant

NE - None Established

DISCLAIMER: Information included in this document is given to the best of our knowledge, however, no warranty is made that the information is accurate or complete. We do not accept any responsibility for damages by the use of the document.